

# Impulse 1000 – Product Information & FAQ's

---

[Introduction by Robert Bennett](#)

[Theory Of Operation](#)

[Frequently Asked Questions](#)

[Instructions For Use](#)

## **Introduction by Robert Bennett from Health Solutions Technology**

You may not have heard of Hulda Clark (Ph.D., N.D.), however this woman is the pioneer of “blood zappers”. Use of the blood “zapper “ was first suggested by Dr. Hulda Clark in her book The Cure for All Disease.

With a device like the Impulse 1000 the term “blood zapper” is used simply because in effect, this is what the Impulse 1000 does... “zaps” your blood with low voltage electrical charge.

Dr. Clark has written, "Any positively offset frequency kills all bacteria, viruses and parasites simultaneously given sufficient voltage (5 to 10 volts), duration (seven minutes), and frequency (anything from 10 Hz to 500,000 Hz)"

I'm not a doctor, and I cannot prescribe the Impulse 1000 Blood Zapper to you, nor can I guarantee any results, but I do believe in its effectiveness in reducing the effects of illness. I have used it myself with great results. There are many testimonials on using blood zappers, and the curing of illness such as multiple sclerosis, cancers, colitis, and even arthritis.

## **Theory of Operation**

How does the Impulse 1000 Blood Zapper work? The study of Radionics suggests that all organisms are susceptible to certain frequencies of electromagnetic energy. A vibration of 5 Hz will kill chickens due to resonance of their skull cavity. Many bacteria and viruses are affected by frequencies of 300 kHz to 450 kHz. Protozoa, roundworms and flatworms are affected by frequencies between 350 kHz and 500 kHz. Moulds appear to be affected by lower frequencies of around 80 kHz to 220 kHz. Individual species respond to specific frequencies within these ranges.

While there are many versions of Blood Zappers available, I have found that both 30 kHz and 2.5 kHz frequencies are important. Why both frequencies? They both have different frequency spectra.

All Impulse 1000 Blood Zappers produce a square wave output. This square wave is composed of all odd harmonics of the main frequency. These harmonics effectively stretch up into the megahertz range, which is where parasites are affected. The 30 kHz frequency produces a range of frequencies that are 30 kHz apart. The 2.5 kHz range produces harmonics that are 2.5 kHz apart. Because each harmonic is weaker than the previous, the lower base frequency produces much smaller amplitudes than the 30 kHz units at any given frequency.

According to information available from the study of "Radionics", bacteria such as anthrax, Chlamydia, Shigella, and E. Choli have spectral responses between 392 and 398 kHz. This would be near the 13th harmonic of 30 kHz, and near the 157th and 159th harmonic of 2.5 kHz. The 13th harmonic has amplitude of 1/13th of the main frequency and the 157th harmonic has amplitude of 1/157th of the main frequency. The trade off of amplitude vs. closeness to the needed frequency has to be weighed in considering desired results.

# Impulse 1000 – Product Information & FAQ's

---

Some believe the higher the frequency, the greater the skin effect. That is, higher frequencies tend to travel along the surfaces of the body and lower frequencies tend to penetrate better. For this reason, many believe that the **lower frequencies are more effective against intestinal parasites, urinary infections, and other infections that tend to occur in the various body cavities.**

It might just be that the 30kHz frequency does not produce harmonics close enough to the parasite's frequency since its harmonics are 30 kHz apart while the lower frequency has harmonics that are only 2.5 kHz apart. Regardless of the reason, many users feel that the 2.5 kHz frequency is more effective.

Wrist straps used by many Zappers are detrimental to its effectiveness. These straps and cords while being convenient are made for antistatic applications and include a high resistance (1 megohm). This steals most of the output voltage from the Impulse 1000 and makes it much less effective, especially those with coiled cords.

## Frequently Asked Questions

### Do Blood Zappers Work?

Research I have undertaken shows others have tested the functionality of blood zappers functionality "in vitro" and it does work. The Blood Zapper is shown to kill or prevent growth in protozoa and bacteria. Tests undertaken pitting identical prepared solutions of growth media placed side by side, with one being "zapped" 4 times a day and the other not being zapped at all.

The zapped media remained clear while the other control media became cloudy with bacteria and protozoa. If you have any doubts, try it yourself. In a trial test, Dr. Robert Thiel found that 97 % of participants reported improvement within 45 days (ANMA Monitor 2(4):5-9.1998).

### How is the Impulse 1000 used?

The Impulse 1000 is easy to use. It is provided with two hand held copper tubes, one of which is held in each hand while the Impulse 1000 is operating. The Power switch is turned on and zapping continues for 7 to 14 minutes. The unit is then turned off for 20 to 30 minutes. The process is then repeated for another 7 to 14 minutes. The cycle is then repeated a third time (minimum). Repeating 4 times produces even better results according to users. It is recommended that the process be repeated once daily to prevent reinfection.

### Even though my LED light on my Impulse 1000 comes on, can I be sure it is working?

Yes. The LED is powered by the zapper outputs so if the LED is on, then the zapper is working. If you want to test your Impulse 1000, simply find an AM radio (FM will not work for this) and turn it on. With the zapper turned on, turn the tuning dial until a whine or squeal is heard. Turn the Zapper off and on several times. If the whine stops and starts with the off and on, then the zapper is working.

### Is the Impulse 1000 safe to use?

Yes. However it comes with these CAUTIONS:

---

## Impulse 1000 – Product Information & FAQ's

---

1. Do not use the Impulse 1000 if you are wearing a pacemaker or if you are pregnant. Do not over use or abuse the zapper.
2. It is advised not to use a zapper if you have a metal stent implant in your heart.
3. Always seek the advice of a medical professional with regards to any health issue.
4. Use of the zapper may slightly lower blood pressure, for this reason, consult your physician if you are using blood thinners. Use of the zapper when metallic implants are present may cause irritation and other problems. This is especially true with stainless steel as it may leak nickel and/or chromium.

### **Are There Any Side Effects?**

Yes, **extensive use of the Impulse 1000 Blood Zapper can kill beneficial bacteria in the intestine causing intestinal irregularity.** Intestinal regularity can be restored by eating a good probiotics yogurt and drinking buttermilk.

### **What Happens To The Parasites That Are Eliminated?**

Our bodies need to clean up and remove the organisms killed. For this reason, you may feel fatigued throughout the day following zapping. Drink plenty of fluids and take it easy for the day.

### **Do I Have To Hold The Copper Tubes In My Hands?**

No, some people place them under their feet, others have sat on them. This should be acceptable as long as the copper tubes do not touch.

### **Should I Feel Anything While Zapping?**

While some individuals may feel a slight tingling, it is not necessary and certainly not a problem.

### **Can I Get Electrocuted?**

No, not from the Impulse 1000 as the current output of the Impulse 1000 is limited by built in resistance. Also, the output voltage is less than 9 volts which is safe in itself. Never use a battery adapter or power supply that connects to AC power.

### **What About Using The Impulse 100 for Allergies?**

Since many allergies are the result of or are aggravated by certain parasites, relief can be obtained by removing these parasites.

### **IBS and Colitis?**

As Colitis and IBS (Irritable Bowel Syndrome) are frequently the result of certain parasites in the intestine, relief can be obtained by removing these parasites.

# Impulse 1000 – Product Information & FAQ's

---

## **How do I Clean The Impulse 1000?**

The case may be cleaned with a damp cloth and mild soap. DO NOT soak or allow any water to get inside the device

The copper tubes may be cleaned and shined with steel wool.

**Recommended:** Many users also wrap the copper tubes with a damp paper towel to keep the copper off of their skin. This also reduces resistance and applies a more powerful signal to you.

## **Warning!**

Do not use any Zapper type product if you are wearing a pacemaker or if you are pregnant.

## Notice

The Impulse 1000 is offered only as an experimental device and in order to reduce cost, TGA approval has not been applied for. Therefore, these products have not been evaluated by the Therapeutic Goods Administration. It is provided for informational use only and is not intended to replace the advice of a licensed professional. These products are not intended to diagnose, treat, cure or prevent any disease, disorder, pain, injury, deformity, or physical or mental condition.

This notice is required by the Therapeutic Goods Administration.

## Notice

While most users with metal implants do not report problems, there may be complications from zapping if you have metal implants. Health Solutions Technology Pty Ltd cannot be responsible if you have any reactions or problems from the use of our products as the use of such is your choice.

## **How Frequently Should I Zap with the Impulse 1000?**

The frequency and amount of zapping depends on the individual, his / her condition, and the type and extent of illness being treated. Starting out, most users zap 1 session a day for the first 2 or 3 days. Afterward, users may zap from 1 to 3 sessions a day for 2 to 6 weeks. Once parasites have been reduced or eliminated, the need to zap is reduced. A user may zap once or twice a week after this to prevent re-infection.

## **How Long Should Each Impulse 1000 Session Last?**

**Initially,** zap for 7 minutes with a 15 to 20 minute resting stage in between.

Repeat 3 times minimum for each session. (Indications show that 4 “zappings” per session may ptubeuce better results).

**After the first 3 or 4 days,** the user may choose to zap for 14 minute sessions. In extreme cases, some individuals choose to zap continuously for a full hour. This is probably less effective than having the 15 - 20 minute resting stages in between “zappings”. There is probably no harm in full hour “zappings”. Zapping will reduce your natural intestinal inhabitants. It is important to drink buttermilk, eat yogurt, or take probiotics such as acidophilus to replenish this.

---

## Impulse 1000 – Product Information & FAQ's

---

### **Can I Eat Or Drink While Zapping?**

Always wash your hands after handling copper (or any other metals) before eating. It is recommended to eat only fresh fruits and vegetables for 2 hours before zapping if you eat at all during this period. Eat nothing except probiotics replenishment (Kefir, Yogurt, Smoothie) for an hour afterward, and fresh raw fruits and vegetables for the 6 hours after zapping. Why? When zapping kills microbes such as fungi that have infiltrated the intestinal walls, the dying microbes can leave microscopic holes that can take several hours to heal. This is generally referred to as micro-poration and usually goes away after a few days. It is also very important to drink lots of water before, in between, and after zapping sessions. It is needed to remove toxins and waste by-products.

### **How Can I Get The Most Out Of My Impulse 1000?**

1. Use your zapper regularly after initial parasite treatment. A couple of times a week is usually enough. This should prevent occurrence of problems.
2. Always drink plenty of fluids before, during, and after zapping.
3. Get plenty of rest after zapping. Rest gives your body time to remove unwanted by-products and to clean itself.
4. If you need to eat, eat only fresh fruit and raw vegetables for 2 hour before and 6 hours after zapping.

It is recommended to eat some yogurt or drink buttermilk a few minutes after zapping.

### **What Should I Expect?**

After first zapping many individuals will either go through a phase of tiredness. Others experience slight diarrhea while some experience both.

Some have reported slight headaches, skin crawling, or itching skin. These conditions should not last long (a day or so). There have been rare cases of anxiety and heart racing.

Parasites that have died in the body leave debris that must be removed and the body may use a lot of energy doing this. Drink lots of water and get plenty of rest.

Also, the loss of intestinal inhabitants can cause diarrhea. Drink buttermilk, eat yogurt, or take probiotics.

After the first few days, many users will feel a surge in energy.

### **Usual Steps to Zapping**

- Install batteries (2 x 9volt) if not already installed.
- Connect the lead with the copper tubes to the Impulse 1000.
- Turn on power to your Impulse 1000 (LED light will illuminate)
- Pick up 1 copper tube in each hand and grasp firmly. There is no need to clench tightly.
- Normally, continue for 7 minutes to 14 minutes.
- Turn your Impulse 1000 off. Set down copper tubes.

## Impulse 1000 – Product Information & FAQ's

---

- Wait 20 minutes.
- It is strongly recommended that you complete at least all three “zappings” for a full session

### **What do the indicators mean on the Impulse 1000?**

The Power LED should be RED when the unit is working correctly. If the unit stops working, or the batteries have drained, the LED will not illuminate. Change the batteries to see if this resolves the problem. Also, this LED will dim slightly when you get good conductivity.

Impulse 1000 Manufactured by:

Health Solutions Technology Pty Ltd

[www.healthsolutionstechnology.com.au](http://www.healthsolutionstechnology.com.au)

110 Scotts Rd

Darra QLD 4076